




<http://www.apache.org/> 

Apache Karaf Users' Guide

Copyright 2010 The Apache Software Foundation

Table of contents


- 1. Overview
- 2. Quick start
- 2.1. Quick Start (Source)
- 3. Installation
- 4. Understanding Karaf
- 4.1. Console and Commands
- 4.2. Remote Console
- 4.3. Logging system
- 4.4. Deployer
- 4.5. Security framework
- 4.6. Provisioning
- 4.7. Administration
- 4.8. Configuration
- 5. Using Karaf
- 5.1. Troubleshooting, Debugging and Profiling
- 5.2. Developing applications
- 5.3. Creating bundles for third party dependencies
- 6. Advanced uses
- 6.1. Extending the console
- 6.2. Building custom distributions
- 6.3. Programmatically connect to the console
- 6.4. Embedding Karaf
- 6.5. Deploying security providers
- 6.6. Installing additional features
- 6.7. Configuring Failover Deployments
- 7. Optional Features
- 7.1. Enabling Colorized Console Output On Windows

1. Overview

Apache Karaf is a small OSGi based runtime which provides a lightweight container onto which various components and applications can be deployed.

Here is a short list of features supported by the Karaf:

- **Hot deployment:** Karaf supports hot deployment of OSGi bundles by monitoring jar files inside the [home]/deploy directory. Each time a jar is copied in this folder, it will be installed inside the runtime. You can then update or delete it and changes will be handled automatically. In addition, the Karaf also supports exploded bundles and custom deployers (blueprint and spring ones are included by default).
- **Dynamic configuration:** Services are usually configured through the ConfigurationAdmin OSGi service. Such configuration can be defined in Karaf using property files inside the [home]/etc directory. These configurations are monitored and changes on the properties files will be propagated to the services.
- **Logging System:** using a centralized logging back end supported by Log4J, Karaf supports a number of different APIs (JDK 1.4, JCL, SLF4J, Avalon, Tomcat, OSGi)
- **Provisioning:** Provisioning of libraries or applications can be done through a number of different ways, by which they will be downloaded locally, installed and started.
- **Native OS integration:** Karaf can be integrated into your own Operating System as a service so that the lifecycle will be bound to your Operating System.
- **Extensible Shell console:** Karaf features a nice text console where you can manage the services, install new applications or libraries and manage their state. This shell is easily extensible by deploying new commands dynamically along with new features or applications.
- **Remote access:** use any SSH client to connect to Karaf and issue commands in the console
- **Security framework** based on JAAS
- **Managing instances:** Karaf provides simple commands for managing multiple instances. You can easily create, delete, start and stop instances of Karaf through the console.
- Supports the latest OSGi 4.2 containers: Apache Felix Framework 3.0 and Eclipse Equinox 3.6



2. Quick start

If you are in a hurry to have Apache Karaf up and running right away, this section will provide you with some basic steps for downloading, building (when needed) and running the server in no time. This is clearly not a complete guide so you may want to check other sections of this guide for further information.

All you need is 5 to 10 minutes and to follow these basic steps.

- Background
- Getting the software
- Start the server
- Deploy a sample application

BACKGROUND

Apache Karaf is a small and lightweight OSGi based runtime. This provides a small lightweight container onto which various bundles can be deployed.

GETTING THE SOFTWARE

At this time you have one option to get the software. The fastest and easiest way is to get the binary directly from the Apache site. Since this article is intended to help you to have Apache Karaf up and running in the fastest way only the binary download will be covered at this time.


Prerequisites

Although this installation path is the fastest one, still you will need to install some software before installing Karaf.

Karaf requires a Java 5 environment to run. Refer to <http://java.sun.com> for details on how to download and install J2SE 1.5 or greater.

Download binaries

Depending on the platform you plan to install and run Karaf you will select the appropriate installation image. Open a Web browser and access the following URL, there you will find the available packages for download (binaries and source code).



Select the file compression format compatible with your system (zip for windows, tar.gz for unixes) by clicking directly on the link, download it and expand the binary to your hard drive in a new directory; for example in z:\karaf - from now on this directory will be referenced as <KARAF_HOME>. Please remember the restrictions concerning illegal characters in Java paths, e.g. !, % etc.

START THE SERVER

```
bin\karaf.bat
```

```
bin/karaf
```

[illegible]

Hit '<tab>' for a list of available commands
and '[cmd] --help' for help on a specific command.

```
karaf@root>
```

You can now run your first command. Simply type the <tab> key in the console.

```
karaf@root>

admin:change-port      admin:connect          admin:create
admin:destroy          admin:start            admin:stop
admin:list             admin:stop
config:cancel          config:list            config:propappend
config:edit            config:propset         config:update
config:propdel         config:propset         config:update
config:proplist        config:propset         config:update
dev:dynamic-import    dev:print-stack-traces dev:show-tree
dev:framework          dev:print-stack-traces dev:show-tree
features:addUrl        features:install       features:list
features:info          features:install       features:list
features:listUrl       features:install       features:list
features:refreshUrl    features:removeUrl     features:uninstall
log:display            log:get               log:set
log:display-exception  log:get               log:set
osgi:bundle-level     osgi:install           osgi:list              osgi:ls
osgi:headers           osgi:install           osgi:restart
osgi:refresh           osgi:resolve
osgi:shutdown          osgi:start-level      osgi:stop
osgi:start             osgi:start-level      osgi:stop
osgi:uninstall         osgi:start-level      osgi:stop
osgi:update            packages:exports       packages:imports
shell:cat              shell:each             shell:echo
shell:clear            shell:each             shell:echo
shell:exec             shell:each             shell:echo
shell:grep             shell:history          shell:if
shell:info             shell:history          shell:if
shell:java             shell:logout           shell:new
shell:printf           shell:logout           shell:new
shell:sleep            shell:sort             shell:tac              ssh:ssh
ssh:sshd               cat                   clear                  each
echo                   exec                  grep                   history
if                     info                  java                   logout
new                    printf                sleep                   sort
tac                    bundle-level          headers                 install
list                   ls                    refresh                 resolve
restart                shutdown              start
start-level            uninstall             update
stop
karaf@root>
```

You can then grab more specific help for a given command using the `--help` option for this command:

```
karaf@root> admin:create --help
DESCRIPTION
  admin:create
```

```

        Create a new instance.

SYNTAX
    admin:create [options] name

ARGUMENTS
    name
        The name of the new container instance

OPTIONS
    --help
        Display this help message
    -f, --feature
        Initial features. This option can be specified multiple times to
enable multiple initial
        features
    -p, --port
        Port number for remote shell connection
    -l, --location
        Location of the new container instance in the file system
    -furl, --featureURL
        Additional feature descriptor URLs. This option can be specified
multiple times to add
        multiple URLs

karaf@root>

```

Note that the console supports tab completion, so you just need to enter `ad` `<tab>` `cr` `<tab>` instead of `admin:create`.

DEPLOY A SAMPLE APPLICATION

While you will learn in the remainder of this guide how to use and leverage Apache Karaf, we will just use the pre-built packaging for now.

In the console, run the following commands:

```

features:install spring-dm
osgi:install -s mvn:org.apache.geronimo.specs/geronimo-activation_1.1_spec/1.0.2
osgi:install -s mvn:org.apache.servicemix.specs/
org.apache.servicemix.specs.stax-api-1.0/1.1.0
osgi:install -s mvn:org.apache.servicemix.specs/
org.apache.servicemix.specs.jaxb-api-2.1/1.1.0
osgi:install -s mvn:org.apache.servicemix.bundles/
org.apache.servicemix.bundles.jaxb-impl/2.1.6_1
osgi:install -s mvn:org.apache.camel/camel-core/1.4.0
osgi:install -s mvn:org.springframework/spring-tx/2.5.6.SEC01
osgi:install -s mvn:org.apache.camel/camel-spring/1.4.0

```



```
osgi:install -s mvn:org.apache.camel/camel-osgi/1.4.0
osgi:install -s mvn:org.apache.camel/camel-example-osgi/1.4.0
```

This commands will download, install and start the specified jars.

The example installed is using Camel to start a timer every 2 seconds and output a message on the console.

```
>>>> MyTransform set body: Wed Jan 02 23:34:19 CET 2010
>>>> MyTransform set body: Wed Jan 02 23:34:21 CET 2010
```

Stopping and uninstalling the sample application

To stop this demo, run the following command:

```
osgi:list | grep example
```

In the output, locate the line containing `camel-example-osgi` and note the id of the bundle in the first column. Then launch the following command:

```
osgi:stop [id]
```

If you wish, you can start again the sample by using the following command:

```
osgi:start [id]
```

To uninstall the demo, run the following command:

```
osgi:uninstall [id]
```

Common Problems

1. Launching Karaf can result in a deadlock in Felix during module dependency resolution. This is often a result of sending a SIGINT (control-C) to the process when it will not cleanly exit. This can corrupt the caches and cause startup problems in the very next launch. It is fixed by emptying the component cache:

```
rm -rf data/cache/*
```

STOPPING KARAF

To stop Karaf from the console, enter ^D in the console:

```
^D
```

Alternatively, you can also run the following command:

```
osgi:shutdown
```

SUMMARY

This document showed you how simple it is to have Apache Karaf up and running. The overall time for getting the server running should be less than five minutes if you have the prerequisite (Java 1.5) already installed. Additionally, this article also showed you how to deploy and test a simple Apache Camel application in less than five minutes.

2.1. Quick Start (Source)

If you are in a hurry to have Apache Karaf up and running right away, this section will provide you with some basic steps for checking out, building and running the server in no time. This is clearly not a complete guide so you may want to check other sections of this guide for further information.

All you need is 15 minutes and to follow these basic steps.

- Background
- Getting the software
- Start the server
- Deploy a sample application

BACKGROUND

Apache Karaf is a small and lightweight OSGi based runtime. This provides a small lightweight container onto which various bundles can be deployed.

GETTING THE SOFTWARE

This document describes how to build the server from the latest Karaf source.

Prerequisites

Although this installation path is the fastest one, still you will need to install some software before installing Karaf.

Karaf requires a Java 5 environment to run. Refer to <http://java.sun.com> for details on how to download and install J2SE 1.5 or greater.


Subversion is required to checkout the source.

Maven 2 is required to build Karaf.

Checkout Source

The Karaf source is found at <http://svn.apache.org/repos/asf/karaf/trunk/>. To check out with a command line client:

```
$ svn co http://svn.apache.org/repos/asf/karaf/trunk/
```



Change directory to the top level of the source checkout. Build Karaf using Maven as follows:

Distributions will be created in assembly/target. Select the file compression format compatible with your system (apache-karaf-2.0.0.zip for windows, apache-karaf-2.0.0.tar.gz for unixes) and expand the binary in a new directory; for example in z:\karaf - from now on this directory will be referenced as <KARAF_HOME>. Please remember the restrictions concerning illegal characters in Java paths, e.g. !, % etc.

START THE SERVER

respectively on Unix:

You should see the following informations on the command line console:





To generate Eclipse projects for all modules, in KARAF_HOME type:

```
mvn -Psetup.eclipse
```

Then add each module location, prefixing each name with *org.apache.karaf* (for example *org.apache.karaf.shell.core*)

Hit '<tab>' for a list of available commands
and '[cmd] --help' for help on a specific command.

```
karaf@root>
```

You can now run your first command. Simply type the <tab> key in the console.

```
karaf@root>
```

admin:change-port	admin:connect	admin:create	
admin:destroy			
admin:list	admin:start	admin:stop	
config:cancel			
config:edit	config:list	config:propappend	
config:propdel			
config:proplist	config:propset	config:update	
dev:dynamic-import			
dev:framework	dev:print-stack-traces	dev:show-tree	
features:addUrl			
features:info	features:install	features:list	
features:listUrl			
features:refreshUrl	features:removeUrl	features:uninstall	
log:display			
log:display-exception	log:get	log:set	
osgi:bundle-level			
osgi:headers	osgi:install	osgi:list	osgi:ls
osgi:refresh	osgi:resolve	osgi:restart	
osgi:shutdown			
osgi:start	osgi:start-level	osgi:stop	
osgi:uninstall			
osgi:update	packages:exports	packages:imports	
shell:cat			
shell:clear	shell:each	shell:echo	
shell:exec			
shell:grep	shell:history	shell:if	
shell:info			
shell:java	shell:logout	shell:new	
shell:printf			
shell:sleep	shell:sort	shell:tac	ssh:ssh
ssh:sshd	cat	clear	each

echo	exec	grep	history
if	info	java	logout
new	printf	sleep	sort
tac	bundle-level	headers	install
list	ls	refresh	resolve
restart	shutdown	start	
start-level			
stop	uninstall	update	
karaf@root>			

DEPLOY A SAMPLE APPLICATION

While you will learn in the remainder of this guide how to use and leverage Apache Felix Karaf, we will just use the pre-built packaging for now.

In the console, run the following commands:

```
features:install spring-dm
osgi:install -s mvn:org.apache.geronimo.specs/geronimo-activation_1.1_spec/1.0.2
osgi:install -s mvn:org.apache.servicemix.specs/
org.apache.servicemix.specs.stax-api-1.0/1.1.0
osgi:install -s mvn:org.apache.servicemix.specs/
org.apache.servicemix.specs.jaxb-api-2.1/1.1.0
osgi:install -s mvn:org.apache.servicemix.bundles/
org.apache.servicemix.bundles.jaxb-impl/2.1.6_1
osgi:install -s mvn:org.apache.camel/camel-core/1.4.0
osgi:install -s mvn:org.springframework/spring-tx/2.5.6.SEC01
osgi:install -s mvn:org.apache.camel/camel-spring/1.4.0
osgi:install -s mvn:org.apache.camel/camel-osgi/1.4.0
osgi:install -s mvn:org.apache.camel/camel-example-osgi/1.4.0
```

This commands will download, install and start the specified jars.

The example installed is using Camel to start a timer every 2 seconds and output a message on the console.

```
>>>> MyTransform set body: Wed Jan 02 23:34:19 CET 2010
>>>> MyTransform set body: Wed Jan 02 23:34:21 CET 2010
```

Stopping and uninstalling the sample application

To stop this demo, run the following command:

```
osgi:list | grep example
```

In the output, locate the line containing `camel-example-osgi` and note the id of the bundle in the first column. Then launch the following command:

```
osgi:stop [id]
```

If you wish, you can start again the sample by using the following command:

```
osgi:start [id]
```

To uninstall the demo, run the following command:

```
osgi:uninstall [id]
```

Common Problems

1. Launching SMX4 can result in a deadlock in Felix during module dependency resolution. This is often a result of sending a SIGINT (control-C) to the process when it will not cleanly exit. This can corrupt the caches and cause startup problems in the very next launch. It is fixed by emptying the component cache:

```
rm -rf data/cache/*
```

STOPPING KARAF

To stop Karaf from the console, enter ^D in the console:

```
^D
```

Alternatively, you can also run the following command:

```
osgi:shutdown
```

SUMMARY

This document showed you how simple it is to have Apache Karaf up and running. The overall time for getting the server running should be less than five minutes if you have the prerequisite (Java 1.5) already installed. Additionally, this article also showed you how to deploy and test a simple Apache Camel application in less than five minutes.

3. Installation

This document describes how to install and configure Apache Karaf for both Unix and Windows' platforms.

Here you will find information about what are pre requisite software, where to download Karaf from and how to customize the installation to use custom ports other than the defaults.

This article contains the following sections:

- Pre-Installation Requirements
- Installation Procedure for Windows
- Windows Binary Installation
- Windows Source Installation
- Installation Procedure For Unix
- Unix Binary Installation
- Unix Source Installation
- Starting Karaf
- On Windows
- On Unix
- Testing the Installation and connecting to a running Karaf
- Stopping Karaf

PRE-INSTALLATION REQUIREMENTS

Hardware:

- 5 MB of free disk space for the Apache Karaf x.y binary distribution.
- 3 MB of free disk space for the Apache Karaf x.y source distributions or SVN checkout. The Maven build requires roughly 57 MB disk space and for the dependencies Maven downloads during building further 76 MB are required. As a lot of small files are produced, the exact space demands depend greatly on your cluster utilization ratio.

Operating Systems:

- Windows: Windows XP SP2, Windows 2000.
- Unix: Ubuntu Linux, Powerdog Linux, MacOS, AIX, HP-UX, Solaris, any Unix platform that supports Java.

Environment:

- Java Developer Kit (JDK) 1.5.x or greater (<http://java.sun.com/>).
- The JAVA_HOME environment variable must be set to the directory where the JDK is installed, e.g., c:\Program Files\jdk.1.5.0_06. To accomplish that, press Windows key and Break key together, switch

to "Advanced" tab and click on "Environment Variables". Here, check for the variable and, if necessary, add it.

- Apache Maven 2.0.9 (<http://maven.apache.org/download.html>).

INSTALLATION PROCEDURE FOR WINDOWS

This section of the Getting Started guide explains how to install binary and source distributions of Karaf on a Windows system.

Windows Binary Installation

This procedure explains how to download and install the binary distribution on a Windows system.

1. From a browser, navigate to <http://karaf.apache.org/download.html>.
2. Scroll down to the "Apache Karaf" section and select the desired distribution.
For a binary distribution, the filename will be similar to: `apache-karaf-x.y.zip`.
3. Extract the files from the ZIP file into a directory of your choice. Please remember the restrictions concerning illegal characters in Java paths, e.g. `!`, `%` etc.
4. Proceed to the Starting Karaf section of this document.
5. Following start-up, go to the Testing the Installation section of this document.
6. Optional: see 7.1. Enabling Colorized Console Output On Windows

Windows Source Installation

This procedure explains how to download and install the source distribution on a Windows system. **NOTE:** Karaf requires Java 5 to compile, build and run.

1. From a browser, navigate to <http://karaf.apache.org/download.html>.
2. Scroll down to the "Apache Karaf" section and select the desired distribution.
For a source distribution, the filename will be similar to: `apache-karaf-x.y-src.zip`.
3. Extract Karaf from the ZIP file into a directory of your choice. Please remember the restrictions concerning illegal characters in Java paths, e.g. `!`, `%` etc.
4. Build Karaf using Maven 2.0.9 or greater and Java 5.
The recommended method of building Karaf is the following:

```
cd [karaf_install_dir]\\src
```



Handy Hint

In case you have to install Karaf into a very deep path or a path containing illegal characters for Java paths, e.g. !, % etc., you may add a bat file to *start* -> *startup* that executes

```
subst S: "C:\your very % problematic path!\KARAF"
```

so your Karaf root directory is S: — which works for sure and is short to type.

where [karaf_install_dir] is the directory in which Karaf was installed.

```
mvn
```

Both steps take around 10 to 15 minutes.

5. Unzip the distribution using your favorite zip tool. The windows distribution is available at

```
\[karaf_install_dir]\assembly\target\apache-karaf-x.y.zip
```

6. Proceed to the Starting Karaf section of this document.
7. Following start-up, go to the Testing the Installation section of this document.
8. Optional: see 7.1. Enabling Colorized Console Output On Windows

INSTALLATION PROCEDURE FOR UNIX

Unix Binary Installation

This procedure explains how to download and install the binary distribution on a Unix system.

1. From a browser, navigate to <http://karaf.apache.org/download.html>.
2. Scroll down to the "Apache Karaf" section and select the desired distribution.
For a binary Unix distribution, the filename will be similar to: apache-karaf-x.y.tar.gz.
3. Extract the files from the gzip file into a directory of your choice. For example:

```
gunzip apache-karaf-x.y.tar.gz
tar xvf apache-karaf-x.y.tar
```

Please remember the restrictions concerning illegal characters in Java paths, e.g. !, % etc.

4. Proceed to the Starting Karaf section of this document.
5. Following start-up, go to the Testing the Installation section.

Unix Source Installation

This procedure explains how to download and install the source distribution on a Unix system. This procedure assumes the Unix machine has a browser. Please see the previous Unix Binary Installation section for ideas on how to install Karaf without a browser. **NOTE:** Karaf requires Java 5 to compile, build and run.

1. From a browser, navigate to <http://karaf.apache.org/download.html>.
2. Scroll down to the "Apache Karaf" section and select the desired distribution.

For a source distribution, the filename will be similar to: apache-karaf-x.y-src.tar.gz.

3. Extract the files from the ZIP file into a directory of your choice. For example:

```
gunzip apache-karaf-x.y-src.tar.gz
tar xvf apache-karaf-x.y-src.tar
```

Please remember the restrictions concerning illegal characters in Java paths, e.g. !, % etc.

4. Build Karaf using Maven 2.0.8 or greater and Java 5:

```
The preferred method of building Karaf is the following:
cd [karaf_install_dir]/src
  where [karaf_install_dir] is the directory in which Karaf was installed.
mvn
```

5. Uncompress the distribution that has just been created

```
cd [karaf_install_dir]/assembly/target
gunzip apache-karaf-x.y.tar.gz
tar xvf apache-karaf-x.y.tar
```

6. Proceed to the Starting Karaf section of this document.
7. Following start-up, go to the Testing the Installation section.

STARTING KARAF

On Windows

From a console window, change to the installation directory and run Karaf. For the binary distribution, go to

```
cd [karaf_install_dir]
```

and for the source distribution go to the target directory, for example:

```
cd [karaf_install_dir]\src\assembly\target\apache-karaf-x.y-SNAPSHOT
```

where `karaf_install_dir` is the directory in which Karaf was installed, e.g., `c:\Program Files\apache-karaf-x.y`.

Then type:

```
bin\karaf.bat
```

Note: Working directories get created relative to the current directory. For the working directories to be created in the proper place, Karaf must be launched from its home/installation directory.

It will start a Karaf console, allowing you to administrate your Karaf instance.

You can launch Karaf in server mode (without terminal output):

```
bin\start.bat
```

On Unix

From a command shell, change to the installation directory and run Karaf. For the binary distribution, go to

```
cd [karaf_install_dir]
```

and for the source distribution go to the target directory, for example:

```
cd [karaf_install_dir]/src/assembly/target/apache-karaf-x.y
```

where `karaf_install_dir` is the directory in which Karaf was installed, e.g., `/usr/local/apache-karaf-x.y`.

Then type:

```
bin/karaf
```

TESTING THE INSTALLATION AND CONNECTING TO A RUNNING KARAF

If Karaf is up and running without problems, the Window's console window or the Unix command shell will display something similar to the following log line:



Apache Felix Karaf (2.0.0)

Hit '<tab>' for a list of available commands
and '[cmd] --help' for help on a specific command.

karaf@root>

You can use the client mode to connect to a running Karaf:

On Windows:

```
bin\client.bat
```

On Unix:

```
bin/client
```

STOPPING KARAF

For both Windows and Unix installations, you can perform a clean shutdown of Karaf by using the following command:

```
osgi:shutdown
```

You can use the stop script too:

On Windows:

**Warning**

Do NOT close the console or shell in which Karaf was started, as that will terminate Karaf (unless Karaf was started with nohup).

```
bin\stop.bat
```

On Unix:

```
bin/stop
```

4. Understanding Karaf

- 4.1. Console and Commands
- 4.2. Remote Console
- 4.3. Logging system
- 4.4. Deployer
- 4.5. Security framework
- 4.6. Provisioning
- 4.7. Administration
- 4.8. Configuration

4.1. Console and Commands

OVERVIEW

Karaf provides a powerful console and a set of commands that can be used to perform various tasks. Commands can be located in the root shell or in a sub-shell. A sub-shell is a group of related commands, like commands related to the OSGi framework or the log system.

The following shells are available out-of-the-box, but the console can be easily extended:

- admin
- config
- features
- log
- obr
- osgi
- package
- shell
- ssh
- wrapper

ADMIN SHELL

This shell is described extensively in section 4.7. Administration.

CONFIG SHELL

This shell is described extensively in section 4.8. Configuration.

FEATURES SHELL

The features shell contains a few commands to provision entire applications easily.

More information is available on the chapter 4.6. Provisioning.

LOG SHELL

The log shell contains a few commands to display the log entries, retrieve or change the log levels:

Command	Description
display	Display log entries.
display-exception	Display the last exception from the log.
get	Show log level.
set	Set log level.

See the documentation on the logging system for more informations.

OBR SHELL

OBR (OSGi Bundle Repository) is a proposed specification that defines an xml format for repositories of OSGi bundles and an associated service to access it. Karaf proposes a number of commands that can be used to deal with such repositories.

Note that this feature is not installed by default. To install it, you must run the following command:

```
karaf@root:/> features:install obr
```

Command	Description
addUrl	Add a list of repository URLs to the repository service
deploy	Deploy
info	Display the meta-data for the specified bundles.
list	List
listUrl	Display the repository URLs currently associated with the repository service.
removeUrl	Remove a list of repository URLs from the repository service
source	Source
start	Start

OSGI SHELL

The OSGi sub-shell provides commands for managing the OSGi framework: listing OSGi bundles, services, managing bundle lifecycles. Look at the online help (launch `osgi help` command) for more informations.

Command	Description
bundle-level	Get or set the start level of a given bundle
headers	Display headers
install	Install bundle
list	List bundles
ls	List services
refresh	Refresh bundle
update	Update bundle
resolve	Resolve bundle
shutdown	Shutdown
start	Start bundle
start-level	Get or set the start level
stop	Stop bundle
uninstall	Uninstall bundle

PACKAGE SHELL

Command	Description
imports	Display imported packages
exports	Display exported packages

SHELL SHELL

Command	Description
cat	Displays the content of a file or url
echo	Echoes or prints arguments to STDOUT
exec	Executes system processes

grep	Prints lines matching the given pattern
info	Prints system informations
java	Execute a Java standard application
printf	Format and print arguments
sleep	Sleeps for a bit then wakes up
sort	Write sorted concatenation of all files to standard output.
tac	Captures the STDIN and returns it as a string. Optionally writes the content to a file

Examples:

```
cat mvn:org.apache.servicemix/servicemix/3.2.1/pom
```

or

```
log:display | grep error
```

SSH SHELL

Command	Description
ssh	Connects to a remote SSH server
sshd	Creates a SSH server

WRAPPER SHELL

Note that this feature is not installed by default. To install it, you must run the following command:

```
karaf@root:/> features:install wrapper
```

Command	Description
install	Install the container as a system service in the OS.

4.2. Remote Console

The remote console feature allows to connect to a running Karaf instance from a remote computer and perform all the operations that are usually accessible from the local console.

LAUNCH OPTIONS

The Karaf shell scripts supports a number of options to control the remote console:

- **console**: launch Karaf in the default mode (both local and remote console activated). This is the default mode
- **server**: launch Karaf in with a remote console but no local console
- **client**: launch Karaf in with a local console only

These options affect two system properties that can be set if you don't use the standard shell scripts:

- `karaf.startLocalConsole`
- `karaf.startRemoteShell`

USING THE CLIENT JAR

It is also possible to use a more lightweight way to connect to a Karaf instance using the following command line:

```
java -jar lib/karaf-client.jar
```

There are a few parameters that can be set on the command line to change the URL used to connect to Karaf, the user or the password.

All these parameters are detailed in the help screen:

```
> java -jar lib/karaf-client.jar --help
Apache Karaf client
-a [port]      specify the port to connect to
-h [host]      specify the host to connect to
-u [user]      specify the user name
-p [password] specify the password
--help        shows this help message
-v            raise verbosity
-r [attempts]  retry connection establishment (up to attempts times)
-d [delay]     intra-retry delay (defaults to 2 seconds)
```

```
[commands]    commands to run
If no commands are specified, the client will be put in an interactive mode
```

For example, to shut down Karaf from the command line, you can run the following command:

```
> java -jar lib/karaf-client.jar
smx@root:/> osgi:shutdown
smx@root:/>
>
```

The client jar also supports passing command line arguments to the remote Karaf.

```
> java -jar lib/karaf-client.jar osgi:shutdown
>
```

USING AN SSH CLIENT

You can use any standard SSH client to connect to a Karaf instance. The default port is 8101.

```
> ssh -p 8101 -l karaf localhost
karaf@localhost's password: karaf
karaf@root:/>
```

USING ANOTHER KARAF INSTANCE

First, open a terminal and launch Karaf in server mode (you could use a Karaf instance in console mode too):

```
bin/karaf server
```

On another terminal, start another Karaf instance in client mode:

```
bin/karaf client
```

Once the console appears, you can run the remote `rsh` command to connect to the other Kernel:



User another Karaf instance to start the client

At this point in time, you can not use the same Karaf installation to start both the server and the client, so you need to create a new instance using the 'admin create xxx' command and use that one to start the client. If you are on a different host or already use another copy of Karaf, this requirement does not hold.

```
ssh:ssh -l karaf -P karaf -p 8101 localhost
```

To verify that you are connected to the remote instance, run the following command:

```
info
```

and check the system informations.

Configuration

The TCP port is configured at the following location:

```
[KARAF]/etc/org.apache.karaf.shell.cfg
```

The default configuration is as below:

```
sshPort=8102  
sshHost=0.0.0.0  
sshRealm=karaf  
hostKey=${karaf.base}/etc/host.key
```

The port used can easily be changed by changing the default port 8101 in the sshPort property.

The security realm used by the console when authenticating remote users is named karaf, so you can override this realm as explained in the security section.

4.3. Logging system

Karaf provides a powerful logging system based on OPS4j Pax Logging.

In addition to being a standard OSGi Log service, it supports the following APIs:

- Apache Commons Logging
- SLF4J
- Apache Log4j
- Java Util Logging

Karaf also comes with a set of console commands that can be used to display, view and change the log levels.

CONFIGURATION

The configuration of the logging system uses a standard Log4j configuration file at the following location:

```
[karaf]/etc/org.ops4j.pax.logging.cfg
```

You can edit this file at runtime and any change will be reloaded and be effective immediately.

COMMANDS

The log subshell comes with 3 commands:

- `log:display`: display the last log entries
- `log:display-exception`: display the last exception from the log
- `log:get`: show the log levels
- `log:set`: set the log levels

For example, if you want to debug something, you might want to run the following commands:

```
> log:set DEBUG
... do something ...
> log:display
```


Note that the log levels set using the `log:set` commands are not persistent and will be lost upon restart.

To configure those in a persistent way, you should edit the configuration file

mentioned above.

4.4. Deployer

The following picture describes the architecture of the deployer.



SPRING DEPLOYER

Karaf includes a deployer that is able to deploy plain blueprint or spring-dm configuration files.

The deployer will transform on the fly any spring configuration file dropped into the deploy folder into a valid OSGi bundle.

The generated OSGi manifest will contain the following headers:

```
Manifest-Version: 2
Bundle-SymbolicName: [name of the file]
Bundle-Version: [version of the file]
Spring-Context: *;publish-context:=false;create-asynchronously:=true
Import-Package: [required packages]
DynamicImport-Package: *
```

The name and version of the file are extracted using a heuristic that will match common patterns. For example `my-config-1.0.1.xml` will lead to

name = my-config and version = 1.0.1.

The default imported packages are extracted from the spring file definition and includes all classes referenced directly.

If you need to customize the generated manifest, you can do so by including an xml element in your spring configuration:

```
<spring:beans ...>
  <manifest>
    Require-Bundle= my-bundle
  </manifest>
```

FEATURES DEPLOYER

To be able to hot deploy features from the deploy folder, you can just drop a feature descriptor on that folder. A bundle will be created and its installation (automatic) will trigger the installation of all features contained in the descriptor. Removing the file from the deploy folder will uninstall the features.

If you want to install a single feature, you can do so by writing a feature descriptor like the following:

```
<features>
  <repository>mvn:org.apache.servicemix.nmr/apache-servicemix-nmr/1.0.0/xml/
features</repository>
  <feature name="nmr-only">
    <feature>nmr</feature>
  </feature>
</features>
```

For more informations about features, see the provisioning section.

4.5. Security framework

Karaf supports JAAS with some enhancements to allow JAAS to work nicely in an OSGi environment. This framework also features an OSGi keystore manager with the ability to deploy new keystores or truststores at runtime.

OVERVIEW

This feature allow the deployment at runtime of JAAS based configuration for use in various parts of the application. This includes the remote console login, which uses the karaf realm, but which is configured with a dummy login module by default. These realms can also be used by the NMR, JBI components or the JMX server to authenticate users logging in or sending messages into the bus.

In addition to JAAS realms, you can also deploy keystores and truststores to secure the remote shell console, setting up HTTPS connectors or using certificates for WS-Security.

A very simple XML schema for spring has been defined, allowing the deployment of a new realm or a new keystore very easily.

SCHEMA

To deploy a new realm, you can use the following XSD which is supported by a Spring namespace handler and can thus be defined in a spring xml configuration file.

Listing 1. JAAS XSD Schema

```
<xs:schema elementFormDefault='qualified'
  targetNamespace='http://karaf.apache.org/xmlns/jaas/v1.0.0'
  xmlns:xs='http://www.w3.org/2001/XMLSchema'
  xmlns:bp='http://www.osgi.org/xmlns/blueprint/v1.0.0'
  xmlns:tns='http://karaf.apache.org/xmlns/jaas/v1.0.0'>

  <xs:import namespace="http://www.osgi.org/xmlns/blueprint/v1.0.0"/>

  <xs:element name="config">
    <xs:complexType>
      <xs:sequence>
        <xs:element name="module" minOccurs="0" maxOccurs="unbounded">
          <xs:complexType mixed="true">
            <xs:attribute name="className" use="required">
```

```

type="xs:string" />
    <xs:attribute name="flags" default="required">
        <xs:simpleType>
            <xs:restriction base="xs:NMTOKEN">
                <xs:enumeration value="required"/>
                <xs:enumeration value="requisite"/>
                <xs:enumeration value="sufficient"/>
                <xs:enumeration value="optional"/>
            </xs:restriction>
        </xs:simpleType>
    </xs:attribute>
</xs:complexType>
</xs:element>
</xs:sequence>
<xs:attribute name="name" use="required" type="xs:string" />
<xs:attribute name="rank" use="optional" default="0" type="xs:int" />
</xs:complexType>
</xs:element>

<xs:element name="keystore">
    <xs:complexType>
        <xs:attribute name="name" use="required" type="xs:string" />
        <xs:attribute name="rank" use="optional" default="0" type="xs:int" />
        <xs:attribute name="path" use="required" type="xs:string" />
        <xs:attribute name="keystorePassword" use="optional" type="xs:string" />
        <xs:attribute name="keyPasswords" use="optional" type="xs:string" />
    </xs:complexType>
</xs:element>

</xs:schema>

```

You can find the schema at the following location.

Here are two example using this schema:

Listing 2. JAAS realm example

```

<blueprint xmlns="http://www.osgi.org/xmlns/blueprint/v1.0.0"
    xmlns:jaas="http://karaf.apache.org/xmlns/jaas/v1.0.0"
    xmlns:ext="http://aries.apache.org/blueprint/xmlns/blueprint-ext/v1.0.0">

    <!-- Bean to allow the ${karaf.base} property to be correctly resolved -->
    <ext:property-placeholder placeholder-prefix="${" placeholder-suffix="}"/>

    <jaas:config name="karaf">
        <jaas:module
class="org.apache.karaf.jaas.modules.properties.PropertiesLoginModule"
flags="required">
            users = ${karaf.base}/etc/users.properties
        </jaas:module>
    </jaas:config>

</blueprint>

```

Listing 3. Keystore example

```
<jaas:keystore xmlns:jaas="http://karaf.apache.org/xmlns/jaas/v1.0.0"
  id="keystore"
  name="ks"
  rank="1"
  path="classpath:privatestore.jks"
  keystorePassword="keyStorePassword"
  keyPasswords="myalias=myAliasPassword">
</jaas:keystore>
```

The id attribute is the blueprint id of the bean, but it will be used by default as the name of the realm if no name attribute is specified. Additional attributes on the config elements are a rank, which is an integer. When the LoginContext looks for a realm for authenticating a given user, the realms registered in the OSGi registry are matched against the required name. If more than one realm is found, the one with the highest rank will be used, thus allowing the override of some realms with new values. The last attribute is publish which can be set to false to not publish the realm in the OSGi registry, hereby disabling the use of this realm.

Each realm can contain one or more module definition. Each module identify a LoginModule and the className attribute must be set to the class name of the login module to use. Note that this login module must be available from the bundle classloader, so either it has to be defined in the bundle itself, or the needed package needs to be correctly imported. The flags attribute can take one of four values that are explained on the JAAS documentation.

The content of the module element is parsed as a properties file and will be used to further configure the login module.

Deploying such a code will lead to a JaasRealm object in the OSGi registry, which will then be used when using the JAAS login module.

ARCHITECTURE

Due to constraints in the JAAS specification, one class has to be available for all bundles. This class is called ProxyLoginModule and is a LoginModule that acts as a proxy for an OSGi defines LoginModule. If you plan to integrate this feature into another OSGi runtime, this class must be made available from the system classloader and the related package be part of the boot delegation classpath (or be deployed as a fragment attached to the system bundle).

The xml schema defined above allow the use of a simple xml (leveraging spring xml extensibility) to configure and register a JAAS configuration for a given realm. This configuration will be made available into the OSGi registry

as a JaasRealm and the OSGi specific Configuration will look for such services. Then the proxy login module will be able to use the information provided by the realm to actually load the class from the bundle containing the real login module.

4.6. Provisioning

Karaf provides a simple, yet flexible, way to provision applications or "features". Such a mechanism is mainly provided by a set of commands available in the features shell. The provisioning system uses xml "repositories" that define a set of features.

REPOSITORIES

The xml features repositories use the following Relax NG Compact syntax:

Listing 4. Repository schema

```
element features {
  element repository { text }*
  element feature {
    attribute name { text },
    attribute version { text },
    element feature {
      attribute version { text },
      text
    }*,
    element config {
      attribute name { text },
      text
    }*,
    element bundle { text }*
  }*
}
```

Here is an example of such a repository:

```
<features>
  <feature name="spring" version="2.5.6.SEC01">
    <bundle>mvn:org.apache.servicemix.bundles/
org.apache.servicemix.bundles.aopalliance/1.0_1</bundle>
    <bundle>mvn:org.springframework/spring-core/2.5.6.SEC01</bundle>
    <bundle>mvn:org.springframework/spring-beans/2.5.6.SEC01</bundle>
    <bundle>mvn:org.springframework/spring-aop/2.5.6.SEC01</bundle>
    <bundle>mvn:org.springframework/spring-context/2.5.6.SEC01</bundle>
    <bundle>mvn:org.springframework/spring-context-support/2.5.6.SEC01</bundle>
  </feature>
</features>
```

A repository includes a list of feature elements, each one representing an application that can be installed. The feature is identified by its name which

must be unique amongst all the repositories used and consists of a set of bundles that need to be installed along with some optional dependencies on other features and some optional configurations for the Configuration Admin OSGi service.

References to features defined in other repositories are allowed and can be achieved by adding a list of repository.

```
<features>
  <repository>mvn:org.apache.servicemix.nmr/apache-servicemix-nmr/1.2.0/xml/
features</repository>
  <repository>mvn:org.apache.camel.karaf/apache-camel/2.2.0/xml/features</repository>
  <repository>mvn:org.apache.felix.karaf/apache-felix-karaf/1.4.0/xml/
features</repository>
  ...
```

Remark : By default, all the features defined in a repository are not installed at the launch of Apache Karaf (see section hereafter 'h2. Service configuration' for more info).

Bundles

The main information provided by a feature is the set of OSGi bundles that defines the application. Such bundles are URLs pointing to the actual bundle jars. For example, one would write the following definition:

```
<bundle>http://repo1.maven.org/maven2/org/apache/servicemix/nmr/
org.apache.servicemix.nmr.api/1.0.0-m2/
org.apache.servicemix.nmr.api-1.0.0-m2.jar</bundle>
```

Doing this will make sure the above bundle is installed while installing the feature.

However, Karaf provides several URL handlers, in addition to the usual ones (file, http, etc...). One of these is the maven URL handler, which allows reusing maven repositories to point to the bundles.

Maven URL Handler

The equivalent of the above bundle would be:

```
<bundle>mvn:org.apache.servicemix.nmr/org.apache.servicemix.nmr.api/1.0.0-m2</bundle>
```

In addition to being less verbose, the maven url handlers can also resolve snapshots and can use a local copy of the jar if one is available in your maven local repository.



Be carefull when you define them as there is a risk of 'cycling' dependencies.

The `org.ops4j.pax.url.mvn` bundle resolves mvn URLs. This flexible tool can be configured through the configuration service. For example, to find the current repositories type:

```
karaf@root:/> config:list
...
-----
Pid:                org.ops4j.pax.url.mvn
BundleLocation:    mvn:org.ops4j.pax.url/pax-url-mvn/0.3.3
Properties:
  service.pid = org.ops4j.pax.url.mvn
  org.ops4j.pax.url.mvn.defaultRepositories = file:/opt/development/karaf/assembly/
target/apache-felix-karaf-1.2.0-SNAPSHOT/system@snapshots
  org.ops4j.pax.url.mvn.repositories = http://repol.maven.org/maven2,
                                     http://people.apache.org/repo/
m2-snapshot-repository@snapshots@noreleases,
                                     http://repository.ops4j.org/maven2,
                                     http://svn.apache.org/repos/asf/service/
m2-repo
  below = list of repositories and even before the local repository
```

The repositories checked are controlled by these configuration properties.

For example, `org.ops4j.pax.url.mvn.repositories` is a comma separate list of repository URLs specifying those remote repositories to be checked. So, to replace the defaults with a new repository at `http://www.example.org/repo` on the local machine:

```
karaf@root:/> config:edit org.ops4j.pax.url.mvn
karaf@root:/> config:proplist
  service.pid = org.ops4j.pax.url.mvn
  org.ops4j.pax.url.mvn.defaultRepositories = file:/opt/development/karaf/assembly/
target/apache-felix-karaf-1.2.0-SNAPSHOT/system@snapshots
  org.ops4j.pax.url.mvn.repositories = http://repol.maven.org/maven2,
                                     http://people.apache.org/repo/
m2-snapshot-repository@snapshots@noreleases,
                                     http://repository.ops4j.org/maven2,
                                     http://svn.apache.org/repos/asf/service/
m2-repo
  below = list of repositories and even before the local repository
karaf@root:/> config:propset org.ops4j.pax.url.mvn.repositories
http://www.example.org/repo
karaf@root:/> config:update
```

By default, snapshots are disable. To enable an URL for snapshots append @snapshots. For example

```
http://www.example.org/repo@snapshots
```

Repositories on the local are supported through file:/ URLs

Bundle start-level

Available since Karaf 2.0

By default, the bundles deployed through the feature mechanism will have a start-level equals to the value defined in the configuration file `config.properties` with the variable `karaf.startlevel.bundle=60`. This value can be changed using the xml attribute `start-level`.

```
<feature name='my-project' version='1.0.0'>
  <feature version='2.4.0'>camel-spring</feature>
  <bundle start-level='80'>mvn:com.mycompany.myproject/myproject-dao</bundle>
  <bundle start-level='85'>mvn:com.mycompany.myproject/myproject-service</bundle>
  <bundle start-level='85'>mvn:com.mycompany.myproject/
myproject-camel-routing</bundle>
</feature>
```

The advantage to define the start-level of a bundle is that you can deploy all your bundles including those of the project with the 'infrastructure' bundles required (e.g : camel, activemq) at the same time and you will have the guaranty when you use Spring Dynamic Module (to register service through OSGI service layer), Blueprint that by example Spring context will not be created without all the required services installed.

Bundle 'stop/start'

Available since Karaf 2.0

The OSGI specification allows to install a bundle without starting it. To use this functionality, simply add the following attribute in your `<bundle>` definition

```
<feature name='my-project' version='1.0.0'>
  <feature version='2.4.0'>camel-spring</feature>
  <bundle start-level='80' start='false'>mvn:com.mycompany.myproject/
myproject-dao</bundle>
```

```
<bundle start-level='85' start='false'>mvn:com.mycompany.myproject/  
myproject-service</bundle>  
<bundle start-level='85' start='false'>mvn:com.mycompany.myproject/  
myproject-camel-routing</bundle>  
</feature>
```

Dependent features

Dependent features are useful when a given feature depends on another feature to be installed. Such a dependency can be expressed easily in the feature definition:

```
<feature name="jbi">  
  <feature>nmr</feature>  
  ...  
</feature>
```

The effect of such a dependency is to automatically install the required `nmr` feature when the `jbi` feature will be installed.

Configurations

The configuration section allows to deploy configuration for the OSGi Configuration Admin service along a set of bundles. Here is an example of such a configuration:

```
<config name="com.foo.bar">  
  myProperty = myValue  
</config>
```

The name attribute of the configuration element will be used as the ManagedService PID for the configuration set in the Configuration Admin service. When using a ManagedServiceFactory, the name attribute is *servicePid-aliasId*, where *servicePid* is the PID of the ManagedServiceFactory and *aliasId* is a label used to uniquely identify a particular service (an alias to the factory generated service PID).

Deploying such a configuration has the same effect than dropping a file named `com.foo.bar.cfg` into the `etc` folder.

The content of the configuration element is set of properties parsed using the standard java property mechanism.

Such configuration as usually used with Spring-DM or Blueprint support for the Configuration Admin service, as in the following example, but using plain OSGi APIs will of course work the same way:

```

<bean ...>
  <property name="propertyName" value="${myProperty}" />
</bean>

<osgix:cm-properties id="cmProps" persistent-id="com.foo.bar">
  <prop key="myProperty">myValue</prop>
</osgix:cm-properties>
<ctx:property-placeholder properties-ref="cmProps" />

```

For more informations about using the Configuration Admin service in Spring-DM, see the Spring-DM documentation.

COMMANDS

Repository management

The following commands can be used to manage the list of descriptors known by Karaf. They use URLs pointing to features descriptors. These URLs can use any protocol known to the Apache Karaf, the most common ones being http, file and mvn.

features:addUrl	Add a list of repository URLs to the features service
features:removeUrl	Remove a list of repository URLs from the features service
features:listUrl	Display the repository URLs currently associated with the features service.
features:refreshUrl	Reload the repositories to obtain a fresh list of features

Karaf maintains a persistent list of these repositories so that if you add one URL and restart Karaf, the features will still be available.

The refreshUrl command is mostly used when developing features descriptors: when changing the descriptor, it can be handy to reload it in the Kernel without having to restart it or to remove then add again this URL.

Features management

```

features:install
features:uninstall
features:list

```

Examples

1. Install features using mvn handler

```
features:addUrl mvn:org.apache.servicemix.nmr/apache-servicemix-nmr/1.0.0-m2/xml/
features
features:install nmr
```

2. Use file handler to deploy features file

```
features:addUrl file:base/features/features.xml
```

Remark : The path is relative to the Apache Karaf installation directory

3. Deploy bundles from file system without using maven

As we can use file:// as protocol handler to deploy bundles, you can use the following syntax to deploy bundles when they are located in a directory which is not available using maven

```
<features>
  <feature name="spring-web" version="2.5.6.SEC01">
    <bundle>file:base/bundles/spring-web-2.5.6.SEC01.jar</bundle>
  </feature>
</features>
```

Remark : The path is relative to the Apache Karaf installation directory

SERVICE CONFIGURATION

A simple configuration file located in [FELIX:karaf]/etc/org.apache.karaf.features.cfg can be modified to customize the behavior when starting the Kernel for the first time.

This configuration file contains two properties:

- featuresBoot: a comma separated list of features to install at startup
- featuresRepositories: a comma separated list of feature repositories to load at startup

This configuration file is of interest if you plan to distribute Apache Karaf distribution which includes pre-installed features. Such a process is detailed in the 6.2. Building custom distributions section.

4.7. Administration

Karaf provides some commands to administer multiple instances. An instance of Karaf is a copy that you can launch separately and deploy applications onto. An instance does not contain a full copy of Karaf, but only a copy of the configuration files and data folder which contains all runtime informations, logs and temporary files.

Commands	Description
change-port	Changes the port of an existing container instance.
connect	Connects to an existing container instance.
create	Creates a new container instance.
destroy	Destroys an existing container instance.
list	List all existing container instances.
start	Starts an existing container instance.
stop	Stops an existing container instance.

Those commands are also available from outside the OSGi environment using the `admin/admin.bat` script in the `bin` folder.

4.8. Configuration

The files in the `etc` directory are used to set the startup configuration.

For dynamic configuration, Karaf provides a suite of command to administer the configuration service grouped under `config`. To learn about all currently supported configuration commands type:

Command	Description
<code>cancel</code>	Change the changes to the configuration being edited.
<code>edit</code>	Create or edit a configuration.
<code>list</code>	List existing configurations.
<code>propdel</code>	Delete a property from the edited configuration.
<code>proplist</code>	List properties from the edited configuration.
<code>propset</code>	Set a property on the edited configuration.
<code>update</code>	Save and propagate changes from the configuration being edited.

EDITING

Select Configuration To Edit

For example to edit configuration `foo.bar`:

```
karaf@root: /> config:edit foo.bar
```

Modify Properties

Use:

- `config:proplist` to list existing properties
- `config:propdel` to delete existing properties
- `config:propset` to set a new value for a property

Any number of properties can be modified within a single editing session.

Commit Or Rollback Changes

Use

- `config:update` to commit all changes made in the current session
- `config:cancel` to roll back any changes made in the current session

5. Using Karaf

- 5.1. Troubleshooting, Debugging and Profiling
- 5.2. Developing applications
- 5.3. Creating bundles for third party dependencies
- 5.4. Writing integration tests

5.1. Troubleshooting, Debugging and Profiling

TROUBLESHOOTING

Logging

Logging is easy to control through the console, with commands grouped under *log* shell. To learn about the available logging commands type:

```
karaf@root> log<tab>

log:display          log:display-exception  log:get              log:set
karaf@root>
```

Typical usage is:

1. Use `log:set` to dynamically change the global log level
2. Execute the problematic operation
3. Use `log:display` (or `log:display-exception` to display the log

Worst Case Scenario

If you end up with a Karaf in a really bad state (i.e. you can not boot it anymore) or you just want to revert to a clean state quickly, you can safely remove the data directory just in the installation directory. This folder contains transient data and will be recreated if you remove it and relaunch Karaf.

You may also want to remove the files in the `deploy` folder to avoid them being automatically installed when Karaf is started the first time.

DEBUGGING

Usually, the easiest way to debug Karaf or any application deployed onto it is to use remote debugging.

Remote debugging can be easily activated by setting the `KARAF_DEBUG` environment variable to `TRUE`.

This can be done using the following command on Unix systems:

```
export KARAF_DEBUG=true
```

On Windows, use the following command

```
set KARAF_DEBUG=true
```

Then, you can launch Karaf using the usual way:

```
bin/karaf
```

or

```
bin\karaf.bat
```

Last, inside your IDE, connect to the remote application (the default port to connect to is 5005).

This option works fine when we have to debug a project deployed top of Apache Karaf. Nevertheless, you will be blocked if you would like to debug the server Karaf. In this case, you can change the following parameter `suspend=y` in the `karaf.bat` script file. That will cause the JVM to pause just before running `main()` until you attach a debugger then it will resume the execution. This way you can set your breakpoints anywhere in the code and you should hit them no matter how early in the startup they are

```
export DEFAULT_JAVA_DEBUG_OPTS='-Xdebug -Xnoagent -Djava.compiler=NONE  
-Xrunjdwp:transport=dt_socket,server=y,suspend=y,address=5005'
```

and on Windows,

```
set DEFAULT_JAVA_DEBUG_OPTS='-Xdebug -Xnoagent -Djava.compiler=NONE  
-Xrunjdwp:transport=dt_socket,server=y,suspend=y,address=5005'
```

PROFILING

YourKit

You need a few steps to be able to profile Karaf using YourKit. The first one is to edit the `etc/config.properties` configuration file and add the following property:

```
org.osgi.framework.bootdelegation=com.yourkit.*
```

Then, set the `JAVA_OPTS` environment variable:

```
export JAVA_OPTS='-Xmx512M -agentlib:yjpagent'
```

or, on Windows

```
set JAVA_OPTS='-Xmx512M -agentlib:yjpagent'
```

Run Karaf from the console, and you should now be able to connect using YourKit standalone or from your favorite IDE.

5.2. Developing applications

TODO

5.3. Creating bundles for third party dependencies

TODO

Some infos available at <http://gnodeet.blogspot.com/2008/09/id-like-to-talk-bit-about-third-party.html>, <http://blog.springsource.com/2008/02/18/creating-osgi-bundles/> and <http://felix.apache.org/site/apache-felix-maven-bundle-plugin-bnd.html>.

6. Advanced uses

- 6.1. Extending the console
- 6.2. Building custom distributions
- 6.3. Programmatically connect to the console
- 6.4. Embedding Karaf
- 6.5. Deploying security providers
- 6.6. Installing additional features
- 6.7. Configuring Failover Deployments

6.1. Extending the console

This chapter will guide you through the steps needed to extend the console and create a new shell. We will leverage Maven, Blueprint and OSGi, so you will need some knowledge of those products.

You may also find some information about the console at RFC 147 Overview.

CREATE THE PROJECT USING MAVEN

We first need to create the project using maven. Let's leverage maven archetypes for that.

Command line

Using the command line, we can create our project:

```
mvn archetype:create \
-DarchetypeArtifactId=maven-archetype-quickstart \
-DgroupId=org.apache.karaf.shell.samples \
-DartifactId=shell-sample-commands \
-Dversion=1.0-SNAPSHOT
```

This generate the main pom.xml and some additional packages.

Interactive shell

You can also use the interactive mode for creating the skeleton project:

```
mvn archetype:generate
```

Use the following values when prompted:

```
Choose a number: (1/2/3/4/5/6/7/8/9/10/11/12/13/14/15/16/17/18/19/20/21/22/23/24/25/
26/27/28/29/30/31/32/33/34/35/36) 15: : 15
Define value for groupId: : org.apache.karaf.shell.samples
Define value for artifactId: : shell-sample-commands
Define value for version: : 1.0-SNAPSHOT: :
Define value for package: : org.apache.karaf.shell.samples
```


Manual creation

Alternatively, you can simply create the directory `shell-sample-commands` and create the `pom.xml` file inside it:

Listing 5. pom.xml

```
<project xmlns="http://maven.apache.org/POM/4.0.0" xmlns:xsi="http://www.w3.org/2001/
XMLSchema-instance"
  xsi:schemaLocation="http://maven.apache.org/POM/4.0.0 http://maven.apache.org/
maven-v4_0_0.xsd">
  <modelVersion>4.0.0</modelVersion>
  <groupId>org.apache.karaf.shell.samples</groupId>
  <artifactId>shell-sample-commands</artifactId>
  <packaging>jar</packaging>
  <version>1.0-SNAPSHOT</version>
  <name>shell-sample-commands</name>
  <url>http://maven.apache.org</url>
  <dependencies>
    <dependency>
      <groupId>junit</groupId>
      <artifactId>junit</artifactId>
      <version>3.8.1</version>
      <scope>test</scope>
    </dependency>
  </dependencies>
</project>
```

DEPENDENCIES

We need to tell maven which libraries our project depends on. In the `dependencies` section of the `pom`, add the following one:

```
<dependency>
  <groupId>org.apache.karaf.shell</groupId>
  <artifactId>org.apache.karaf.shell.console</artifactId>
  <version>1.0.0</version>
</dependency>
```

This dependency is needed to have access to the base classes that are used to define commands.

CONFIGURING FOR JAVA 5

We are using annotations to define commands, so we need to ensure maven will actually use JDK 1.5 to compile the jar. Just add the following snippet after the `dependencies` section.

```

<build>
  <plugins>
    <plugin>
      <groupId>org.apache.maven.plugins</groupId>
      <artifactId>maven-compiler-plugin</artifactId>
      <configuration>
        <target>1.5</target>
        <source>1.5</source>
      </configuration>
    </plugin>
  </plugins>
</build>

```

LOADING THE PROJECT IN YOUR IDE

We can use maven to generate the needed files for your IDE:

Inside the project, run the following command

```
mvn eclipse:eclipse
```

or

```
mvn idea:idea
```

The project files for your IDE should now be created. Just open the IDE and load the project.

CREATING A BASIC COMMAND CLASS

We can now create the command class `HelloShellCommand.java`

Listing 6. HelloShellCommand.java

```

package org.apache.karaf.shell.samples;

import org.apache.felix.gogo.commands.Command;
import org.apache.felix.gogo.commands.Option;
import org.apache.felix.gogo.commands.Argument;
import org.apache.karaf.shell.console.OsgiCommandSupport;

@Command(scope = "test", name = "hello", description="Says hello")
public class HelloShellCommand extends OsgiCommandSupport {

    @Override
    protected Object doExecute() throws Exception {
        System.out.println("Executing Hello command");
    }
}

```

```
        return null;
    }
}
```

CREATING THE ASSOCIATED BLUEPRINT CONFIGURATION FILES

The blueprint configuration file will be used to create the command and register it in the OSGi registry, which is the way to make the command available to Karaf console. This blueprint file must be located in the OSGI-INF/blueprint/ directory inside the bundle.

If you don't have the src/main/resources directory yet, create it.

```
mkdir src/main/resources
```

Then, re-generate the IDE project files and reload it so that this folder is now recognized as a source folder.

Inside this directory, create the OSGI-INF/blueprint/ directory and put the following file inside (the name of this file has no impact at all):

Listing 7. shell-config.xml

```
<blueprint xmlns="http://www.osgi.org/xmlns/blueprint/v1.0.0">

    <command-bundle xmlns="http://karaf.apache.org/xmlns/shell/v1.0.0">
        <command name="test/hello">
            <action class="org.apache.karaf.shell.samples.HelloShellCommand"/>
        </command>
    </command-bundle>

</blueprint>
```

COMPILING THE JAR

Let's try to build the jar. Remove the test classes and sample classes if you used the artifact, then from the command line, run:

```
mvn install
```

The end of the maven output should look like:

```
[SMX4KNL:INFO]
```

```
[SMX4KNL:INFO] BUILD SUCCESSFUL
```

```
[SMX4KNL:INFO]
```

TURNING THE JAR INTO AN OSGI BUNDLE

OSGi bundles are jars but they require some manifest headers to be correctly recognized. We will leverage Felix's maven plugin to easily generate those.

Lets turn it into a bundle: modify the line in the `pom.xml` to adjust the packaging:

```
<packaging>bundle</packaging>
```

Add the following section at the bottom of the `pom.xml`, in the existing `build/plugins` section:

```
<plugin>
  <groupId>org.apache.felix</groupId>
  <artifactId>maven-bundle-plugin</artifactId>
  <version>2.1.0</version>
  <extensions>true</extensions>
  <configuration>
    <instructions>
      <Import-Package>org.osgi.service.command,*</Import-Package>
    </instructions>
  </configuration>
</plugin>
```

The `Import-Package` is required to make sure our bundle will import the `org.osgi.service.command` package so that the service will be correctly seen in Felix.

Let's compiled it again using the `mvn install` command.

TEST IN KARAF

Launch a Karaf instance and run the following command to install the newly created bundle:

```
karaf@root> osgi:install -s mvn:org.apache.karaf.shell.samples/shell-sample-commands/
1.0-SNAPSHOT
```

Let's try running the command:

```
karaf@root> test:hello  
Executing Hello command
```

and for the link:

Yeah 😊

6.2. Building custom distributions

TODO

6.3. Programmatically connect to the console

A connection to Karaf console can also be done programmatically. The following code is a simplified version of the code from the client library.

```
import org.apache.sshd.ClientChannel;
import org.apache.sshd.ClientSession;
import org.apache.sshd.SshClient;
import org.apache.sshd.client.future.ConnectFuture;

public class Main {

    public static void main(String[] args) throws Exception {
        String host = "localhost";
        int port = 8101;
        String user = "karaf";
        String password = "karaf";

        SshClient client = null;
        try {
            client = SshClient.setUpDefaultClient();
            client.start();
            ConnectFuture future = client.connect(host, port);
            future.await();
            ClientSession session = future.getSession();
            session.authPassword(user, password);
            ClientChannel channel = session.createChannel("shell");
            channel.setIn(System.in);
            channel.setOut(System.out);
            channel.setErr(System.err);
            channel.open();
            channel.waitFor(ClientChannel.CLOSED, 0);
        } catch (Throwable t) {
            t.printStackTrace();
            System.exit(1);
        } finally {
            try {
                client.stop();
            } catch (Throwable t) { }
        }
        System.exit(0);
    }
}
```

You can find a more complete example at the following location.

6.4. Embedding Karaf

TODO: an example of embedding Karaf inside a web application is provided in the distribution

6.5. Deploying security providers

Some applications require specific security providers to be available, such as BouncyCastle. The JVM impose some restrictions about the use of such jars: they have to be signed and be available on the boot classpath. One way to deploy those providers is to put them in the JRE folder at `$JAVA_HOME/jre/lib/ext` and modify the security policy configuration (`$JAVA_HOME/jre/lib/security/java.security`) in order to register such providers.

While this approach works fine, it has a global effect and require you to configure all your servers accordingly.

Karaf offers a simple way to configure additional security providers:

- put your provider jar in `[FELIX:KARAF]/lib`
- modify the `[FELIX:KARAF]/etc/config.properties` configuration file to add the following property

```
org.apache.felix.karaf.security.providers = xxx,yyy
```

The value of this property is a comma separated list of the provider class names to register.

For example:

```
org.apache.felix.karaf.security.providers =  
org.bouncycastle.jce.provider.BouncyCastleProvider
```

In addition, you may want to provide access to the classes from those providers from the system bundle so that all bundles can access those. It can be done by modifying the `org.osgi.framework.bootdelegation` property in the same configuration file:

```
org.osgi.framework.bootdelegation = ...,org.bouncycastle*
```

6.6. Installing additional features

This chapter will demonstrate how to add additional features from a remote maven repository to a default installation of Karaf.

ADDING ADDITIONAL MAVEN REPOSITORIES

The following steps will add in the missing OPS4J and Apache Snapshot maven repositories. **Note** - this has been fixed in the 1.1.0 of ServiceMix Kernel release and can be skipped.

1. Edit the following file -

```
etc/org.ops4j.pax.url.mvn.cfg
```

2. Update *org.ops4j.pax.url.mvn.repositories* to include the OPS4J and Apache Snapshot repos -

```
org.ops4j.pax.url.mvn.repositories=file:${user.home}/.m2/
repository@snapshots,http://repo1.maven.org/
maven2,http://repository.ops4j.org/
maven2,http://people.apache.org/repo/
m2-snapshot-repository@snapshots@noreleases
```

ADDING ADDITIONAL FEATURE REPOSITORIES

The following steps will add in the URLs for the Camel & ActiveMQ and Features locations.

1. Start Karaf

```
cd bin
./karaf or karaf.bat
```

2. Add the following feature install locations

```
karaf@root> features:addUrl mvn:org.apache.activemq/
activemq-karaf/5.4.0/xml/features
karaf@root> features:addUrl mvn:org.apache.camel.karaf/
```



Last updated September 3, 2010 using Karaf 2.0.0

features/2.0.0/xml/features

3. Verify the feature URLs were added -

```
karaf@root> features:listUrl
mvn:org.apache.camel.karaf/features/2.0.0/xml/features
valid
mvn:org.apache.activemq/activemq-karaf/5.4.0/xml/
features      valid
mvn:org.apache.karaf/apache-karaf/2.0.1-SNAPSHOT/xml/
features      valid
```

INSTALLING A NEW FEATURE (WAR)

The following steps will install the "war" feature (support for deploying WAR files with Servlet and JSPs into a Jetty server) into your Karaf instance.

1. List the available features -

```
karaf@root> features:list
State      Name
. . .
[uninstalled] [2.0.0] obr          karaf-2.0.0
[uninstalled] [2.0.0] config     karaf-2.0.0
[uninstalled] [2.0.0] http       karaf-2.0.0
[uninstalled] [2.0.0] war        karaf-2.0.0
[uninstalled] [2.0.0] webconsole karaf-2.0.0
[installed ] [2.0.0] ssh         karaf-2.0.0
. . .
```

2. Install the war feature (and the sub-features it requires) -

```
karaf@root> features:install war
```

3. Verify the features were installed

```
karaf@root> features:list
State      Name
```

```

. . .
[installed ] [2.0.0] http karaf-2.0.0
[installed ] [2.0.0] war karaf-2.0.0
. . .

```

4. Verify the installed bundles were started

```

karaf@root> osgi:list
START LEVEL 100
   ID   State      Blueprint      Level  Name
. . .
[ 32] [Active    ] [          ] [ 60]
geronimo-servlet_2.5_spec (1.1.2)
[ 33] [Active    ] [          ] [ 60] Apache
ServiceMix :: Bundles :: jetty (6.1.22.2)
[ 34] [Active    ] [          ] [ 60] OPS4J Pax Web
- API (0.7.2)
[ 35] [Active    ] [          ] [ 60] OPS4J Pax Web
- Service SPI (0.7.2)
[ 36] [Active    ] [          ] [ 60] OPS4J Pax Web
- Runtime (0.7.2)
[ 37] [Active    ] [          ] [ 60] OPS4J Pax Web
- Jetty (0.7.2)
[ 38] [Active    ] [          ] [ 60] OPS4J Pax Web
- Jsp Support (0.7.2)
[ 39] [Active    ] [          ] [ 60] OPS4J Pax Web
- Extender - WAR (0.7.2)
[ 40] [Active    ] [          ] [ 60] OPS4J Pax Web
- Extender - Whiteboard (0.7.2)
[ 41] [Active    ] [          ] [ 60] OPS4J Pax Url
- war:, war-i: (1.1.3)
[ 42] [Active    ] [Created   ] [ 60] Apache Karaf
:: WAR Deployer (2.0.0)
. . .

```

5. The Jetty server should now be listening on <http://localhost:8181/>, but with no published applications available.

```

HTTP ERROR: 404
NOT_FOUND
RequestURI=/
Powered by jetty://

```

DEPLOYING A WAR TO THE INSTALLED WEB FEATURE

The following steps will describe how to install a simple WAR file (with JSPs or Servlets) to the just installed web feature.

1. To deploy a WAR (JSP or Servlet) to Jetty, update its MANIFEST.MF to include the required OSGi headers as described here - <http://wiki.ops4j.org/confluence/display/ops4j/Pax+Web+Extender+-+War+-+OSGi-fy>
2. Copy the updated WAR (archive or extracted files) to the *deploy* directory.

6.7. Configuring Failover Deployments

This chapter will demonstrate how to configure failover deployments.

SIMPLE LOCK FILE

The simple lock file mechanism is intended for failover configurations where instances reside on the same host machine.

To use this feature, edit the `$KARAF_HOME/etc/system.properties` file as follows on each system in the master/slave setup:

```
karaf.lock=true
karaf.lock.class=org.apache.felix.karaf.main.SimpleFileLock
karaf.lock.dir=<PathToLockFileDirectory>
karaf.lock.delay=10
```

Note: Ensure that the `karaf.lock.dir` property points to the same directory for both the master and slave instance, so that the slave can only acquire the lock when the master releases it.

JDBC LOCKING

The JDBC locking mechanism is intended for failover configurations where instances exist on separate machines. In this deployment, the master instance holds a lock on a Karaf locking table hosted on a database. If the master loses the lock, a waiting slave process gains access to the locking table and fully starts its container.

To use this feature, do the following on each system in the master/slave setup:

- Update the classpath to include the JDBC driver
- Update the `$KARAF_HOME/bin/karaf` script to have unique JMX remote port set if instances reside on the same host
- Update the `$KARAF_HOME/etc/system.properties` file as follows:

```
karaf.lock=true
karaf.lock.class=org.apache.felix.karaf.main.DefaultJDBCLock
karaf.lock.level=50
```

```
karaf.lock.delay=10
karaf.lock.jdbc.url=jdbc:derby://dbserver:1527/sample
karaf.lock.jdbc.driver=org.apache.derby.jdbc.ClientDriver
karaf.lock.jdbc.user=user
karaf.lock.jdbc.password=password
karaf.lock.jdbc.table=KARAF_LOCK
karaf.lock.jdbc.clustername=karaf
karaf.lock.jdbc.timeout=30
```

Note:

- Will fail if JDBC driver is not on classpath.
- The database name "sample" will be created if it does not exist on the database.
- The first Karaf instance to acquire the locking table is the master instance.
- If the connection to the database is lost, the master instance tries to gracefully shutdown, allowing a slave instance to become master when the database service is restored. The former master will require manual restart.

JDBC locking on Oracle

If you are using Oracle as your database in a JDBC locking scenario, the `karaf.lock.class` property in the `$KARAF_HOME/etc/system.properties` file must point to `org.apache.felix.karaf.main.OracleJDBCLock`.

Otherwise, configure the `system.properties` file as normal for your setup, for example:

```
karaf.lock=true
karaf.lock.class=org.apache.felix.karaf.main.OracleJDBCLock
karaf.lock.jdbc.url=jdbc:oracle:thin:@hostname:1521:XE
karaf.lock.jdbc.driver=oracle.jdbc.OracleDriver
karaf.lock.jdbc.user=user
karaf.lock.jdbc.password=password
karaf.lock.jdbc.table=KARAF_LOCK
karaf.lock.jdbc.clustername=karaf
karaf.lock.jdbc.timeout=30
```

As with the default JDBC locking setup, the Oracle JDBC driver JAR file must be in your classpath. You can ensure this by copying the `ojdbc14.jar` into Karaf's `lib` folder before starting Karaf.

Note: The `karaf.lock.jdbc.url` requires an active SID, which means you must manually create a database instance before using this particular lock.

CONTAINER-LEVEL LOCKING

Container-level locking allows bundles to be preloaded into the slave kernel instance in order to provide faster failover performance. Container-level locking is supported in both the simple file and JDBC locking mechanisms.

To implement container-level locking, add the following to the \$KARAF_HOME/etc/system.properties file on each system in the master/slave setup:

```
karaf.lock=true
karaf.lock.level=50
karaf.lock.delay=10
```

The karaf.log.level property tells the Karaf instance how far up the boot process to bring the OSGi container. Bundles assigned the same start level or lower will then also be started in that Karaf instance.

Bundle start levels are specified in \$KARAF_HOME/etc/startup.properties, in the format jar.name=level. The core system bundles have levels below 50, where as user bundles have levels greater than 50.

Level	Behavior
1	A 'cold' standby instance. Core bundles are not loaded into container. Slaves will wait until lock acquired to start server.
<50	A 'hot' standby instance. Core bundles are loaded into the container. Slaves will wait until lock acquired to start user level bundles. The console will be accessible for each slave instance at this level.
>50	This setting is not recommended as user bundles will be started.

Note: When using a 'hot' spare on the same host you need to set the JMX remote port to a unique value to avoid bind conflicts. You can edit the Karaf start script to include the following:

```
DEFAULT_JAVA_OPTS="-server $DEFAULT_JAVA_OPTS
-Dcom.sun.management.jmxremote.port=1100
-Dcom.sun.management.jmxremote.authenticate=false"
```


7. Optional Features

- 7.1. Enabling Colorized Console Output On Windows

7.1. Enabling Colorized Console Output On Windows

The default Karaf installation does not produce colorized console output on Windows like it does on Unix based systems. To enable it, you must install LGPL licensed library JNA. This can be done using a few simple commands in the Karaf console:

You first need to install the JNA library:

```
osgi:install wrap:mvn:http://download.java.net/maven/2!net.java.dev.jna/jna/3.1.0
```

Next you need either restart karaf or you run the following Karaf commands to refresh the Karaf Console:

```
osgi:list | grep "Apache Felix Karaf :: Shell Console"
```

Take note of the ID of the bundle, in my case it was 14 and then run:

```
osgi:refresh 14
```